EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	39	wwan same beacon same (ap or access point) same wlan	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2012/02/14 17:17
L2	2	(CCI OR CSI OR channel near4 quality OR channel near4 state) with both (control near4 channel) with (data near4 channel) with (select\$3 OR monitor\$3 OR choos\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2012/02/14 17:33
L3	8	(CQI OR CS OR channel near4 quality OR channel near4 state) with both with (control near4 channel) with (data near4 channel) with (select\$3 OR monitor\$3 OR choos\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2012/02/14 17:33
L4	550	(CQI OR CS OR channel near4 quality OR channel near4 state) with both with (channel) with (select\$3 OR monitor\$3 OR choos\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2012/02/14 17:35
L5	193	(COI OR CSI OR channel near4 quality OR channel near4 state) with control near2 (channel) same (select\$ OR monitor\$3 OR choos\$3) same (COI OR CSI OR channel near4 quality OR channel near4 state) with data near2 (channel)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2012/02/14 18:01
L14	0	(10/594552). APP .	USPAT; USOCR	ADJ	ON	2012/02/14 18:24
S1	2	*20070274343*	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/10 17:23
82	13	"1496628"	US-PGPUB; USPAT; USOCR; IFPRS; EPO; JPO; DERWENT;	ADJ	ON	2009/02/10 17:30

			IBM_TDB			
S3	57	"095862"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/10 17:31
S4	44	"085662"	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/10 17:31
S5	O	PCT/JP02/003462	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/10 17:34
S6	37	DUAN near2 Jinsong	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/10 17:36
S7	0	S6 AND HSPDA	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/10 17:36
S8	5	S6 AND HSDPA	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/10 17:36
S9	311	(akihiko near2 nishio)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/10 19:30
S10	14	S9 AND (channel).clm. AND (qualit\$3).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/10 19:31
S11	49	(US-6047007-\$ or US-5584057-\$ or US- 5812944-\$ or US-6031832-\$ or US- 6134444-\$ or US-6137993-\$ or US- 6137789-\$ or US-6188717-\$ or US-	USPAT	A DJ	ON	2009/02/11 10:19

		1179722-\$ or US-5212831-\$ or US-5309503-\$ or US-5339184-\$ or US-5487174-\$ or US-5539730-\$ or US-5542097-\$ or US-5542097-\$ or US-556168-\$ or US-556168-\$ or US-556168-\$ or US-556168-\$ or US-566168-\$ or US-566168-\$ or US-566258-\$ or US-568254-\$ or US-569248-\$ or US-590248-\$ or US-509128-\$ or US-6041237-\$ or US-6185244-\$ or US-618524-\$ or US-618524-\$ or US-618524-\$ or US-618528-\$ or US-533317-\$ or US-533317-\$ or US-533375-\$ or US-536337-\$ or				
S12	50	[US-20010023188-\$ or US-200300883070-\$ or US-2003000865-\$ or US-200300088070-\$ or US-20040125766-\$ or US-2004012721-\$ or US-20050265470-\$ or US-20060165091-\$ or US-20070147297-\$ or US-20070189199-\$ or US-20070147297-\$ or US-20070009130-\$ or US-20070090130-\$ or US-20080009130-\$ or US-20080009130-\$ or US-2008009075-\$ or US-2008009075-\$ or US-200800200200-\$ or US-20080025788-\$ or US-20080200200-\$ or US-20080025788-\$ or US-20080200200-\$ or US-2008025788-\$ or US-20080291578-\$ or US-6118983-\$ or US-612505-\$ or US-6118983-\$ or US-612505-\$ or US-6140981-\$ or US-6377906-\$ or US-6804531-\$ or US-680771-\$ or US-6804531-\$ or US-690371-\$ or US-4527284-\$ or US-408711-\$ or US-4527284-\$ or US-4507573-\$ or US-4527284-\$ or US-4507573-\$ or US-511590-\$	US-PGPUB; USPAT	ADJ	ON	2009/02/11 10:19
S13	0	S11 AND S12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/11 10:19
S14	9396	455/403,422.1,450,455.cds. OR 370/431,441,464,479.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;		ON	2009/02/11 10:27

	ļ		IBM_TDB		_	
S15	553	[370/479.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/11 10:29
S16	3	"20040066754"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/11 10:33
S17	2	⁶ 6993294".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/11 10:33
S18	2314	(COI OR CSI OR channel near2 quality OR channel near2 state) with control with data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/11 10:52
S19	7	S15 AND S18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	ADJ	ON	2009/02/11 10:52
S20	332	(CQI OR CSI OR channel near2 quality OR channel near2 state) with (control near2 channel) with (data near2 channel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DEPWENT; IBM_TDB	ADJ	ON	2009/02/11 10:53
S21	44	(CCI OR CSI OR channel near2 quality OR channel near2 state) with (control near2 channel) with (data near2 channel) with (select\$3 OR monitor\$3 OR choos\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/11 10:53
S22	593	(CQI OR CSI OR channel near4 quality OR channel near4 state) same (control near4 channel) same (data near4 channel) same (select\$3 OR monitor\$3 OR choos\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/11 11:01
\$23	154	(CQI OR CSI OR channel near4 quality OR channel near4 state) with (control near4 channel) with (data near4 channel) with (select\$3 OR monitor\$3	US-PGPUB; USPAT; USOCR; FPRS;	A DJ	ON	2009/02/11 11:02

		OR choos\$3)	EPO; JPO; DERWENT; IBM_TDB			
S24	110	S23 NOT S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/11 11:02
S25	166	ICOL OR CSL OR channel near4 quality OR channel near4 state) with (control near4 channel OR HS-SSCH OR HS-DPCCH OR HS-DPCCH OR HS-DPCCH OR S-CCPCH OR P-CCPCH OR PCH OR BCCH) with (data near4 channel OR HS-DSCH OR DSCH OR PFDCH OR DCH OR S-CCPCH OR FACH) with (eslect\$3 OR choos\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/11 11:20
S26	85	(panasonic OR matsushita).as. AND (channel near2 quality).dm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/11 11:42
S27	31	[panasonic OR matsushita) as. AND (channel near2 quality).clm. AND (control AND data).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/11 11:42
S28	1334	((CCI OR CSI OR channel near4 quality OR channel near4 state) with (control near4 channel OR HS-SSO4 OR HS- DPCOH OR HS-DSOH OR DCCH OR DPCOH OR S-COCPH OR P-CPCPOH OR POH OR BCH) with (data near4 channel OR HS-DSCH OR DS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/11 11:45
S29	107	S28 AND S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/11 11:45
S30	107	S29 NOT *L115*	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/11 11:45
S31	96	S29 NOT S25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	ADJ	ON	2009/02/11 11:45

	1		IBM_TDB			
S32	5	(control near2 channel near2 quality) with (data near2 channel near2 quality) with (BS OR base station OR BSS)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/11 13:56
S33	4804	(control near4 channel OF HS-SSCH OR HS-DPCCH OR HS-DSCH OR DCCH OR DPCCH OR S-CCPCH OR P-CCPCH OR PCH OR BCH) with threshold	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/11 18:21
S34	226	(control near4 channel OR HS-SSCH OR HS-DPCOH OR HS-DSCH OR DCOH OR DPCOCH OR S-COPCH OR P-COPCH OR PCH OR BCH) with threshold with (quality OR COI OR CSI)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/11 18:22
S35	58	(control near4 channel OR HS-SSCH OR HS-DPCOH OR HS-DSOH OR DCOH OR DPCOH OR S-COPOH OR P-COPOH OR PCH OR BCH) with threshold with (quality OR COI OR CS) with (BS OR BSS OR base station)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/11 18:22
S36	O	(control near4 channel OR HS-SSCH OR HS-DPCCH OR HS-DSCH OR DCCH OR DPCCH OR S-CCPCH OR P-CCPCH OR PCH OR BCH) with (preater near2 than with (quality OR OCI OR CSI) with (BS OR BSS OR base station OR MS OR mobile near2 station)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/11 18:43
S37	1563	(control near4 channel OR HS-SSCH OR HS-DPOCH OR HS-DSCH OR DOCH OR DPOCH OR S-COPCH OR P-COPCH OR PCH OR BCH) with (quality OR COI OR CSI) with (BS OR BSS OR base station OR MS OR mobile near2 station)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/11 18:43
\$38	237	(control near4 channel OR HS-SSCH OR HS-DPCOH OR HS-DSCH OR DCOH OR DPCOH OR DPCOH OR PCOPOH OR PCH OR BCH) with (quality OR COI OR CSI) with (BS OR BSS OR base station OR MS OR mobile near2 station) with (value OR threshold)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/11 18:43
S39	85	(control near4 channel OR HS-SSCH OR HS-DPCOH OR HS-DSCH OR DCOH OR DPCOH OR DPCOH OR S-OCPCH OR P-CPCHOH OR PCH OR BCH) with (quality OR COI OR CSI) with (BS OR BSS OR base station OR MS OR mobile near2 station) with (threshold)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/11 18:44
S40	58	(control near4 channel OR HS-SSCH OR HS-DPOCH OR HS-DSCH OR DOCH OR DPOCH OR S-COPCH OR P-COPCH OR PCH OR BCH) with threshold with	US-PGPUB; USPAT; USOCR; FPRS;	ADJ	ON	2009/02/11 18:44

		(quality OR CQI OR CSI) with (BS OR BSS OR base station)	EPO; JPO; DERWENT; IBM_TDB			
S41	27	S39 NOT S40	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/11 18:44
S42	78	(control near4 channel OR HS-SSCH OR HS-DPCCH OR HS-DSCH OR DCCH OR DCCH OR DCCH OR PCCPCH OR PCH OR BCH) with threshold with (quality OR COI OR CSI) with (MS OR mobile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/11 18:49
S43	5	("20040142692" "20060159051" "5864760" "6594243" "6754493").PN. OR ("7277707").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/02/11 18:56
S44	142	threshold with total near2 (MS OR mobile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/11 18:59
S45	13	threshold with total near2 (MS OR mobile) with channel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/11 19:00
S46	126	distance with (MS or mobile) with (threshold OR value OR limit) with range with (BS OR base station)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/11 19:02
S47	553	370/479.cols.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/11 19:03
S48	O	S46 AND S47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/11 19:03
S49	9396	455/403,422.1,450,455.cds. OR 370/431,441,464,479.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;		ON	2009/02/11 19:03

	1		IBM_TDB	********		
S50	4	S46 AND S49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/11 19:03
S51	460	(control near4 channel OR HS-SSCH OR HS-DPOCH OR HS-DSOH OR DOCH OR DPOCH OR S-COPCH OR P-COPCH OR PCH OR BCH) with (quality OR COI OR SS) with (acknowledgement OR ACK OR NACK)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/11 19:19
S52	67	(control near4 channel OR HS-SSCH OR HS-DPCOH OR HS-DSCH OR DCOH OR DPCOH OR S-COPCH OR P-COPCH OR PCH OR BCH) with (quality OR COI OR CSI) with (acknowledgement OR ACK OR NACK) with (MS OR mobile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/11 19:19
S53	18	(control near4 channel OR HS-SSCH OR HS-DPOCH OR HS-DSOH OR DOCH OR DPOCH OR S-COPCH OR P-COPCH OR PCH OR BOCH) with (quality OR COL OR SI) with (acknowledgement OR ACK OR NACK) with (MS OR mobile) with uplink	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/11 19:21
S54	28	(Control near4 channel OR HS-SSCH OR HS-DPOCH OR HS-DSO4 OR DOCH OR DPOCH OR S-OCPOH OR P-OCPCH OR POH OR BCH) with (quality OR COI OR SI) with (acknowledgement OR ACK OR NACK) with (MS OR mobile) with (uplink OR UL)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/11 19:33
S55	349	measur\$3 with required with (tx OR transmission OR transmitting) near4 power	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/11 20:16
S56	60	measur\$3 with required with (tx OR transmission OR transmitting) near4 power with channel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/11 20:16
S57	15	measur\$3 with required with (tx OR transmission OR transmitting) near4 power with channel with quality	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/11 20: 4 7
S58	328	(measur\$3 OR calculat\$3) with (tx OR transmission OR transmitting) near4 power with channel with quality	US-PGPUB; USPAT; USOCR; FPRS;	ADJ	ON	2009/02/12 10:11

			EPO; JPO; DERWENT; IBM_TDB			
S59	228	(measur\$3 OR calculat\$3) with (tx OR transmission OR transmitting) near4 power with (channel near4 quality OR OCI OR CSI)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/12 10:11
S60	554	370/479.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/12 10:12
S61	1	\$59 AND \$60	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/12 10:12
S62	9407	455/403,422.1,450,455.cds. OR 370/431,441,464,479.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/12 10:12
S63	15	S59 AND S62	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/12 10:12
S64	457	(data near2 channel) with after with (control near2 channel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/12 10:42
S65	2	(data near2 channel) with after with (control near2 channel) with (quality OR CSI) with (select\$3 OR choos\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/12 10:43
S66	2	(data near2 channel) with after with control near2 channel) with (quality OR COI OR COI) with (select\$3 OR choos\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/12 10:44
S67	12	(data near2 channel) with (after OR before OR first) with (control near2	US-PGPUB; USPAT;	ADJ	ON	2009/02/12 10:44

		channel) with (quality OR CQI OR CSI) with (select\$3 OR choos\$3)	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S68	13	(data near2 channel) with (after OR before OR first OR prior OR subsequent) with (control near2 channel) with (quality OR Oci OR CSI) with (select\$3 OR choos\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/12 10:44
S69	51	(control near4 channel OR HS-SSOH OR HS-DPCOH OR HS-DSOH OR DOOH OR DPCOH OR S-COPCH OR P-COPCH OR PCH OR BCH) with (select\$3 OR choos\$3) with (quality OR COI OR CSI) with (subsequent\$3 OR after OR prior OR next)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/12 10:55
S70	2903	(stations OR users) with (eliminat\$3) with (after)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/12 11:52
S71	794	(stations) with (eliminat\$3) with (after)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/12 11:52
S72	11	(stations) with (eliminat\$3) with (after) with group\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/12 11:52
S73	6	(destinations) with (eliminat\$3) with (after) with group\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/12 11:53
S74	8	("20030174662" "6044072" "6104933" "6122265" "6167031" "6456598").PN. OR ("6993294").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/02/12 14:35
S75	8	("20030174662" "6044072" "6104933" "6122265" "6167031" "6456598").PN. OR ("6993294").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/02/12 14:35
S76	0	("2002/0136271").URPN.	USPAT	ADJ	ON	2009/02/12 14:36
S77	0	("2002/0126645").URPN.	USPAT	ADJ	ON	2009/02/12 14:36
S78	2	("2003/0073409").URPN.	USPAT	ADJ	ON	2009/02/12 14:36
S79	3	("2005/0037766").URPN.	USPAT	ADJ	ON	2009/02/12

						14:36
380	34	["4719081" "4780885" "4850036" "4974224" "5007052" "5253161" "5257399" "5280288" "5355522" "5257399" "5280288" "53155522" "531183" "5541954" "5546422" "5561790" "5619493" "5737358" "5805633" "693702" "5887011" "6023462" "6034946" "6240125" "6252661" "625072" "6272313" "6301244" "62821271"), N. CR ("673578"), JJFRN. N. CR ("673578"), JJFRN. N. CR ("673578"), JJFRN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/02/12 14:37
S81	23	(US-20070274343-\$ or US-20070189199-\$ or US-20040086754-\$ or US-20070242631-\$ or US-20070242631-\$ or US-20050170782-\$ or US-20050170782-\$ or US-20060133492-\$ or US-20060133492-\$ or US-20060133492-\$ or US-2006013621-\$ or US-20040001472-\$ or US-20020136271-\$ or US-20030073492-\$ or US-20020126845-\$ or US-20030073490-\$ or US-20030073490-\$ or US-2003007349-\$	US-PCPUB; USPAT; EPO	ADJ	ON	2009/09/01 14:53
S82	18166	(control near2 data or information) with ((assign\$5 with data near2 channel) or (MCS or modulat\$3 near2 cod\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 18:45
S83	3279	(control near2 (data or information)) with ((assign\$\$ with data near2 channel) or (MCS or modulat\$3 near2 cod\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 18:45
S84	1256	(control near2 (data or information)) near4 ((assign\$5 with data near2 channel) or (MCS or modulat\$3 near2 cod\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 18:45
S85	277	((control near2 (data or information)) near4 ((assign\$5 with data near2 channel) or (MCS or modulat\$3 near2 cod\$3))) same (bs or base station)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 18:46
S86	48	((cqi or channel near2 quality or csi) with (control near2 channel)) with ((assign\$5 with data near2 channel) or (MCS or modulat§3 near2 cod\$3)) same (bs or base station)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 18:59
	}	3	i	<u> </u>	}	(

S87	124	((oqi or channel near2 quality or csi) with (control near2 channel)) with (assign\$5 with data near2 channel) or (MCS or modulat\$3 near2 cod\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 19:00
S88	88	((cqi or channel near2 quality or csi) with (control near2 channel)) with ((MCS or modulat\$3 near2 cod\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 19:04
S89	477	(control near4 channel OR HS-SSOH OR HS-DPOCH OR HS-DBOH OR DOCH OR DPOCH OR DCCH OR DCCH OR DCCH OR CALL OF DCCH OR	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 19:05
S90	9	(CQI OR CSI OR channel near2 quality OR channel near2 state) with (control near2 channel) with (data near2 channel) same (select\$3 or choos\$3) near2 (mobile or ms)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/07/21 15:20
S91	109	(control near4 channel OR HS-SSCH OR HS-DPOCH OR HS-DBS-HO R DOOH OR DOOH OR PCH OR BCH) with (quality OR GO OR CS) with (SS OR BSS OR base station) with (MS OR mobile near2 station) with (data near4 channel OR DSOH OR DPOCH OR DCH OR S-COPCH OR FACH)	US-PGPUB; USPAT; USOCR; IPPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/07/21 15:27
S92	41	(control near4 channel OR HS-SSOH OR HS-DPOCH OR HS-DSOH OR DOCH OR DPOCH OR DPOCH OR S-OPPOCH OR DCH OR BOCH) with (quality OR OOI OR CS) with (BS OR BSS OR base station) with (MS OR BSS OR DSS Station) with (MS OR DSS OR DSS OR DSS OR DSS DSSOH OR DPDCH OR DCH OR DSCH OR DPDCH OR DCH OR	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/07/21 15:28
S93	305	(control near2 channel) with (data near2 channel) with (measur\$5)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/07/21 15:40
S94	1	(control near2 channel) with (data near2 channel) with (measur\$5) same (select\$3 or choos\$3) near2 (ms or mobile station)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/07/21 15:40
S95	8	(control near2 channel) with both with	US-PGPUB;	A DJ	ON	2010/07/21

		(data near2 channel) with (measur\$5)	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			15:41
S96	2416	(control near2 channel) with (data near2 channel) with (cqi or quality or snr or s/r or o'i or rssi or power or strength or value or measur\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/07/21 15:43
S97	476	(control near2 channel) with (data near2 channel) with (cqi or quality or snr or sr or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/07/21 15:43
S98	171	(control near2 channel) with (data near2 channel) with (cqi or quality or snr or sr or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/07/21 15:43
S99	154	priorit\$5 with (MS or mobile station) with (power) with (BS or base station)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/07/21 16:47
S100	61	priorit\$5 with (MS or mobile station) with (power) with (BS or base station) with control	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/07/21 16:47
S101	20	(select\$3 or choos\$4) with priorit\$5 near4 (M\$ or mobile station) with (B\$ or base station) with control	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/07/21 16:55
S102	26	(select\$3 or choos\$4) with priorit\$5 near4 (MS or mobile station) with (BS or base station) with channel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/07/21 16:58
S103	1028	(select\$3 or choos\$4) near2 (MS or mobile station) with (BS or base station) with channel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	ADJ	ON	2010/07/21 16:58

	<u> </u>		IBM_TDB			
S104	220	(select\$3 or choos\$4) near2 (MS or mobile station) with (BS or base station) with (highest or greatest or priorit\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/07/21 16:58
S105	40	(select\$3 or choos\$4) near2 (MS or mobile station) with (BS or base station) with (rank\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/07/21 17:10
S106	3	(control near4 channel OR HS-SSOH OR HS-DROCH OR HS-DSOH OR DOOH OR DPOCH OR S-OCPOH OR P-OCPOH OR RCH OR BCH) with (quality OR OOI OR CS) same (select\$3 or choos\$4) near2 (MS or mobile station) with (BS or base station) with (rank\$3 or order\$3 or priorit\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/07/21 17:15
S107	29	(control near4 channel OR HS-SSOH OR HS-DPOCH OR ND-SOH OR DDPOCH OR DPOCH OR S-CCPCH OR PCH OR BCH) same (select\$3 or choos\$4) near2 (MS or mobile station) with (rank\$3 or order\$3 or priorit\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/07/21 17:16
S108	112	(control near4 channel OR HS-SSOH OR HS-DPO3H OR HS-DSOH OR DOXHOR DPCCH OR S-COPCH OR P-COPCH OR PCH BCH) same (selecti\$3 or choos\$4) near2 (MS or mobile station) same (BS or base station) same (rank\$3 or order\$3 or priorit\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/07/21 17:18
S109	83	S108 not S107	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/07/21 17:19
S110	560	(control near4 channel OR HS-SSOH OR HS-DPOCH OR HS-DSCH OR DOCH OR DPOCH OR DPOCH OR PCPCPCH OR PCH OR BCH) same (select\$3 or choos\$4) near2 (MS or mobile station) same (BS or base station)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/07/21 18:03
S111	245	(control near4 channel OR HS-SSCH OR HS-DPCH OR HS-DSCH OR DOCH OR DPCCH OR	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/07/21 18:05
S112	38	(mobile station or ms) with (measur\$3 or calculat\$3) with (SIR) same (control channel)	US-PGPUB; USPAT; USOOR;	ADJ	ON	2010/07/21 18:50

			FPRS; EPO; JPO; DERWENT; IBM_TDB			
S113	6	(mobile station or ms) with (measur\$3 or calculat\$3) with (SIR) same (data channel) same (control channel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/07/21 18:58
S114	46	(mobile station or ms) with (measur\$3 or calculat\$3) with (data channel) same (control channel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/07/21 18:59
S115	25	(mobile station or ms) with (measur\$3 or calculat\$3) with (control channel) with (SIR or signal near2 noise)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/07/21 19:28
S116	21	[mobile station or ms) with (measur\$3 or calculat\$3) with (control channel) with (SR or signal near2 interference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/07/21 19:28
S117	92	[COI OR CSI OR quality OR channel near2 state) with (control near2 channel) with (data near2 channel) with (select)\$3 OR choos\$3 OR choice)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/08/22 11:45
S118	3	"20040066754"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/08/22 11:53
S119	257	Control near4 channel OR HS-SSCH OR HS-DPCCH OR HS-DSCH OR DCCH OR DPCCH OR DPCCH OR S-CCPCH OR P-CCPCH OR PCH OR BCH) with (select\$3 OR choos\$3) with (ms or mobile or ue) with (quality or cqi)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/08/22 11:59
S120	122	(control near4 channel OR HS-SSCH OR HS-DPCCH OR HS-DPCCH OR DCCH OR DCCH OR DCCH OR PCCPCH OR PCH OR BCH) with (select\$3 OR choos\$3) with (ms or mobile or ue) with (quality or cqi) same data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/08/22 12:00
S121	48	(control near4 channel OR HS-SSCH OR	US-PGPUB;	ADJ	ON	2011/08/22

		HS-DPCCH OR HS-DSCH OR DCCH OR DPCCH OR S-CCPCH OR P-COPCH OR PCH	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			12:17
S122	1094	cqi with control with data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/08/22 12:42
S123	117	cqi with control with data same mcs	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/08/22 12:42
S124	794	cqi with control with data with channel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/08/22 13:09
S125	239	cqi with control with data with channel same (mcs or cod\$3 or amc)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/08/22 13:09
S126	163	S125 not S123	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/08/22 13:09
S127	890	(control near4 channel OR HS-SSCH OR HS-DPCCH OR HS-DPCCH OR DCCH OR DCCH OR DCCH OR S-COPCH OR P-COPCH OR PCH OR BCH) with (quality or cqi) with data near2 channel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/08/22 13:15
S128	234	(control near4 channel OR HS-SSCH OR HS-DPCCH OR HS-DSCH OR DCCH OR DPCCH OR S-COPCH OR P-COPCH OR PCH OR BCH) with (cql) with data near2 channel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/08/22 13:15
S129	929	(control near4 channel OR HS-SSCH OR HS-DPCCH OR HS-DPCCH OR DCCH OR DPCCH OR S-COPCH OR P-COPCH OR PCH OR BCH) with (cqi or channel near2 quality) and data near2 channel with (cqi or channel near2 quality)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	ADJ	ON	2011/08/22 13:29

			IBM_TDB			
S130	695	S129 not S128	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/08/22 13:29
S131	3	"20050083998"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/08/22 14:13
S132	126	(control near4 channel OR HS-SSCH OR HS-DPCOH OR HS-DSCH OR DCOH OR DPCOH OR DCOH OR DCOH OR DCOH OR DCOH OR DCH O	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/08/22 15:04
S133	48	(control near4 channel OR HS-SSCH OR HS-DROOH OR HS-DSOH OR DOOH OR DOOH OR DOOH OR POOPOH OR POH OR BOH) with (quality OR CQI OR CGI) with select\$3 near2 (ms or ue or mobile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/08/22 15:39
S134	0	(09/131628).APP.	US-PGPUB; USOCR	ADJ	ON	2011/08/22 16:57
S135	32	("5265119" "5485486" "5497395" "5629934" "5644591" "5799005" "5805648" "5809061" "5881368" "5901178" "5930230").PN. OR ("5991285").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2011/08/22 16:58
S136	531	(control near4 channel OR HS-SSCH OR HS-DPCOH OR HS-DSOH OR DCOH OR DFCOH OR S-COPOH OR P-COPOH OR PCH OR BCH) with (quality OR CQI OR CSI) with (ms or ue or mobile) with (calculat\$3 or measur\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/08/22 17:02
S137	140	(control near4 channel CR HS-SSCH OR HS-DPCOH OR HS-DSCH OR DCHOOL OR DPCOH OR S-CCPCH OR P-COPCH OR PCH OR BCH) with (quality OR COI OR CSI) with (ms or ue or mobile) with (calculat\$3 or measur\$3) with data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/08/22 17:02
S138	30	(control near4 channel OR HS-SSCH OR HS-DPCCH OR HS-DSCH OR DCCH OR DPCCH OR S-COPCH OR P-CCPCH OR BCH with (quality OR COI OR CSI) with (ms or ue or mobile) with data same (snr or sir)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/08/22 17:18
S139	160	(control near4 channel OR HS-SSCH OR HS-DPOCH OR HS-DSCH OR DOCH OR DPOCH OR S-COPICH OR P-COPICH OR	US-PGPUB; USPAT; USOCR;	ADJ	ON	2011/08/22 17:20

		PCH OR BCH) with (ms or ue or mobile) with data same (snr or sir)	FPRS; EPO; JPO; DERWENT; IBM_TDB			
S140	130	\$139 not \$138	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/08/22 17:20
S141	0	(10/755917).APP.	USPAT; USOCR	ADJ	ON	2011/08/22 17:41
S142	1	("2005/0152279").URPN.	USPAT	ADJ	ON	2011/08/22 17:41
S143	154	(control near4 channel OR HS-SSOH OR HS-DPOOH OR HS-DSOH OR DOOH OR DPCOOH OR S-OSPOH OR P-COPOH OR PCH OR BCH) with (data near4 channel) with (amc or mcs or modulat\$4) with (error or bler or ber or fer or per)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2012/02/14 14:04
S144	130	(control near4 channel OR HS-SSCH OR HS-DPCOH OR HS-DSCH OR DOTH OR DPCOH OR S-CSCH OR P-CSCH OR POH OR BCH) same (data near4 channel) same (amc or mos or modulat\$4) with (error or bler or ber or fer or per) same (bls or bs or base station or node b)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2012/02/14 14:11
S145	83	S144 not S143	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2012/02/14 14:12
S146	91	(channel) with (amc or mcs or modulat\$4 or pcm) with (error or bler or ber or fer or per) same (bts or bs or base station or node b) same (probabilit\$3 or likelihood)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2012/02/14 14:15
S147	6	control near2 (channel) with data near2 channel (amc or mcs or modulat\$4 or pcm) same (bts or bs or base station or node b) same (select\$4 or choos\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2012/02/14 15:12
S148	102	control near2 (channel) with data near2 channel same (amc or mcs or modulat\$4 or pcm) same (bts or bs or base station or node b) same (select\$4 or choos\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2012/02/14 15:12
S149	279	control near2 (channel) with data near2 channel with (amc or mcs or modulat\$4	US-PGPUB; USPAT;	ADJ	ON	2012/02/14 15:18

		or pcm) same (bts or bs or base station or node b)	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S150	226	S149 not S148	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB		ON	2012/02/14 15:18
S151	9	sir with (amc or mcs or modulat\$4 or pcm) same (error or bler or fer or per) with (probabilit\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2012/02/14 15:33
S152	265	(choos\$3 or select\$3) with (both) near2 channel with (bts or bs or node b or base station)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2012/02/14 16:11
S153	398	(choos\$3 or select\$3) with (both) near2 channel with (mobile or station or ue or terminal or ms)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB		ON	2012/02/14 16:17
S154	273	S153 not S152	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2012/02/14 16:17

EAST Search History (Interference)

< This search history is empty>

2/14/2012 9:10:50 PM

C:\ Users\ oghowrwal\ Documents\ EAST\ Workspaces\ 10_594053.wsp